

# SAFETY DATA SHEET



## PREMIER BUILDING SOLUTIONS, INC.

Page 1 of 11  
Version: 1.1  
Revision Date: 7/27/2017

### XTRABOND 9500 SELF LEVELING

#### 1. CHEMICAL PRODUCT & COMPANY IDENTIFICATION

**Product Brand Name:** XtraBond 9500 Self Leveling  
**Other Names/Synonyms:** None  
**Recommended Use:** Sealant – Other, **Professional Use Only**  
**Uses advised against:** No information available

**Company Contact Information**

Premier Building Solutions, Inc.  
480 Nova Drive  
Massillon, OH. 44646  
Telephone: 330-244-2907

**Emergency Telephone Number**

CHEMTREC: 1-800-424-9300 (24 hours) or 1-703-527-3887

#### 2. HAZARDS IDENTIFICATION

GHS Classification



**Emergency Overview:** Signal word – Warning

**Serious eye damage/eye irritation:** Category 2A

**Hazard Statements:** Causes serious eye irritation

**Appearance:** Varies

**Physical State:** Paste Liquid

**Odor:** Mint-like

**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling; Wear eye protection/face protection

**Precautionary Statements - Response**

**Eyes**

IF IN EYES: Rinse cautiously with water for several minutes; Remove contact lenses, if present and easy to do; continue rinsing; if eye irritation persists: Get medical advice/attention

# SAFETY DATA SHEET



## PREMIER BUILDING SOLUTIONS, INC.

Page 2 of 11  
Version: 1.1  
Revision Date: 7/27/2017

### XTRABOND 9500 SELF LEVELING

#### Unknown Toxicity

96.34% of the mixture consists of ingredient(s) of unknown toxicity

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Substance:** Mixture  
**Chemical Nature:** MS

<u>CAS Number</u>	<u>*Wt. %</u>	<u>Component Name</u>	<u>HMIRA Registry #</u>
1317-65-3	40 - 70	Limestone	-
129757-67-1	0 - 1	Decanedioic acid	-
127519-17-9	0 - 1	Benzenepropanoic acid	-

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

**General Advice:** Show this safety data sheet to the doctor in attendance.

#### Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area.

#### Skin Contact

Wash with soap and water.

#### Inhalation

Remove to fresh air.

#### Ingestion

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

#### Self-protection of the first aider

Avoid contact with skin, eyes, or clothing. Wear personal protective clothing (see section 8).

#### Most important symptoms and effects, both acute and delayed

Burning sensation

# SAFETY DATA SHEET



## PREMIER BUILDING SOLUTIONS, INC.

Page 3 of 11  
Version: 1.1  
Revision Date: 7/27/2017

### XTRABOND 9500 SELF LEVELING

Indication of any immediate medical attention and special treatment needed

#### Notes to Physician

Treat symptomatically

## 5. FIRE FIGHTING MEASURES

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific Hazards Arising from the Chemical

No information available

#### Hazardous Combustion Products

Carbon oxides

#### Explosion Data

Sensitivity to Mechanical Impact: None

Sensitivity to Static Discharge: None

#### Special protective equipment for firefighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protective equipment.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

#### Personal Precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

#### Other Information

Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

#### Methods for Containment

Prevent further leakage or spillage if safe to do so.

# SAFETY DATA SHEET



## PREMIER BUILDING SOLUTIONS, INC.

Page 4 of 11  
Version: 1.1  
Revision Date: 7/27/2017

### XTRABOND 9500 SELF LEVELING

#### Methods for cleaning up

Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

#### Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.

### Conditions for safe storage, including any incompatibilities

#### Storage

Keep containers tightly closed in a dry, cool and well-ventilated place.

## 8. EXPOSURE CONTROLS & PERSONAL PROTECTION

### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
Limestone CAS# 1317-65-3	-	TWA: 15 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup> (vacated) TWA: 15 mg/m <sup>3</sup> (vacated) TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> respirable dust TWA: 10 mg/m <sup>3</sup> total dust	
	Alberta	British Columbia	Ontario TWAEV	Quebec
	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 3 mg/m <sup>3</sup> STEL: 20 mg/m <sup>3</sup>	-	TWA: 10mg/m <sup>3</sup>

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

### Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

### Appropriate engineering controls

Showers  
Eyewash stations  
Ventilation systems

# SAFETY DATA SHEET



## PREMIER BUILDING SOLUTIONS, INC.

Page 5 of 11  
Version: 1.1  
Revision Date: 7/27/2017

### XTRABOND 9500 SELF LEVELING

#### Individual protection measures, such as personal protective equipment

##### Eye/Face Protection

If splashed are likely to occur, wear safety glasses with side-shields.

##### Skin and Body Protection

Wear suitable protective clothing.

##### Hand Protection

Wear suitable gloves.

##### Respiratory Protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

##### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes, and clothing. Wear suitable gloves and eye/face protection.

## 9. PHYSICAL & CHEMICAL PROPERTIES

Physical Form: Paste, Liquid  
Color: Varies  
Odor: Mint-like  
Odor Threshold: No information available  
Appearance: Varies

<u>Property</u>	<u>Values</u>	<u>Remarks Method</u>
pH	UNKNOWN	None known
Melting / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash Point	No data available	None known
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		
Upper flammability limits	No data available	
Lower flammability limits	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Specific Gravity	1.55	None known
Water Solubility	No data available	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/water	No data available	None known

# SAFETY DATA SHEET



## PREMIER BUILDING SOLUTIONS, INC.

Page 6 of 11  
Version: 1.1  
Revision Date: 7/27/2017

### XTRABOND 9500 SELF LEVELING

Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Explosive properties	No data available	
Oxidizing Properties	No data available	

#### Other Information

Softening Point	No data available
VOC Content (g/L)	No data available
Particle Size	No data available
Particle Size Distribution	No data available

## 10. STABILITY AND REACTIVITY

#### Reactivity

No information available.

#### Chemical stability

Stable under normal conditions

#### Possibility of Hazardous Reactions

None under normal processing

#### Hazardous Polymerization

Hazardous polymerization does not occur

#### Conditions to avoid

None known based on information supplied.

#### Incompatible materials

None known based on information supplied

#### Hazardous Decomposition Products

Carbon oxides

## 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

#### Product Information

Inhalation:

# SAFETY DATA SHEET



## PREMIER BUILDING SOLUTIONS, INC.

Page 7 of 11  
Version: 1.1  
Revision Date: 7/27/2017

### XTRABOND 9500 SELF LEVELING

Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.

**Eye Contact:**

Specific test data for the substance or mixture is not available. Causes serious eye irritation (based on components). May cause redness, itching, and pain.

**Skin Contact:**

Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.

**Ingestion:**

Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**Information on toxicological effects**

**Symptoms:**

May cause redness and tearing of the eyes

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Skin corrosion/irritation:**

May cause skin irritation

**Serious eye damage/eye irritation:**

Classification based on data available for ingredients. Irritating to eyes.

**Respiratory or skin sensitization:**

No information available.

**Germ cell mutagenicity:**

No information available.

**Carcinogenicity:**

No information available.

**Reproductive Toxicity**

No information available.

**STOT - single exposure**

No information available

**STOT - repeated exposure**

No information available

**Aspiration Hazard**

No information available.

# SAFETY DATA SHEET



## PREMIER BUILDING SOLUTIONS, INC.

Page 8 of 11  
Version: 1.1  
Revision Date: 7/27/2017

### XTRABOND 9500 SELF LEVELING

#### 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

The environmental impact of this product has not been fully investigated.

**Persistence and Degradability**

No information available.

**Bioaccumulation**

There is no data for this product.

**Mobility**

No information available.

**Other adverse effects**

No information available.

#### 13. DISPOSAL CONSIDERATIONS

**Waste treatment methods**

**Waste from residues/unused products**

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated Packaging**

Do not reuse empty containers.

#### 14. TRANSPORT INFORMATION

**DOT** NOT REGULATED

Proper Shipping Name: Non Regulated  
Hazard Class: N/A

**TDG** Not regulated

**MEX** Not regulated

**ICAO** Not regulated

**IATA** Not regulated

Proper Shipping Name: Non Regulated  
Hazard Class: N/A



# SAFETY DATA SHEET



## PREMIER BUILDING SOLUTIONS, INC.

Page 9 of 11  
Version: 1.1  
Revision Date: 7/27/2017

### XTRABOND 9500 SELF LEVELING

IMDG/IMO Not regulated  
Hazard Class: N/A

RID Not regulated

ADR Not regulated

ADN Not regulated

## 15. REGULATORY INFORMATION

### International Inventories

#### Ozone-depleting substances (ODS)

Not applicable

#### Persistent Organic Pollutants

Not applicable

#### Export Notification requirements

Not applicable

<u>TSCA</u>	Contact supplier for inventory compliance status
<u>DSL/NDL</u>	Contact supplier for inventory compliance status
<u>EINECS/ELINCS</u>	Contact supplier for inventory compliance status
<u>ENCS</u>	Contact supplier for inventory compliance status
<u>KECL</u>	Contact supplier for inventory compliance status
<u>PICCS</u>	Contact supplier for inventory compliance status
<u>AICS</u>	Contact supplier for inventory compliance status

#### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** – European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** – Japan Existing and New Chemical Substances

**KECL** – Korean Existing and Evaluated Chemical Substances

**PICCS** – Philippines Inventory of Chemicals and Chemical Substances

**AICS** – Australian Inventory of Chemical Substances

### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

# SAFETY DATA SHEET



## PREMIER BUILDING SOLUTIONS, INC.

Page 10 of 11  
Version: 1.1  
Revision Date: 7/27/2017

### XTRABOND 9500 SELF LEVELING

#### SARA 311/312 Hazard Categories

Acute Health Hazard: Yes  
Chronic Health Hazard: No  
Fire Hazard: No  
Sudden release of pressure hazard: No  
Reactive Hazard: No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### US State Regulations

##### California Proposition 65

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Limestone (CAS# 1317-65-3)	X	X	X		

## 16. OTHER INFORMATION

#### NFPA

Health Hazards: 2  
Flammability: 0  
Instability: 0  
Physical/Chemical Haz. -

#### HMIS

Health Hazards: 2  
Flammability: 0  
Physical Hazard: 0  
Personal Protection: X

## ***SAFETY DATA SHEET***



### **PREMIER BUILDING SOLUTIONS, INC.**

Page 11 of 11

Version: 1.1

Revision Date: 7/27/2017

### **XTRABOND 9500 SELF LEVELING**

**Note: The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.**

<http://www.xtrabond.com>